



Copyright FCI



FCIconnect.com





1 | 2

3 |

4

PRODUCT NUMBER
SEE TABLE



CONFIGURATION 2
(WITH RIB)

A

A

B

B

| | | | | | | | | | |
|-------------|----------------|------------|------------|---------------------------------------|---------------------|------------|--|-------------------------------|--|
| mat'l. code | | surface | | tolerance | | projection | | product family | |
| SEE NOTE 1 | | ASME Y14.5 | | ASME Y14.5 | | | | PV HOUSINGS | |
| ltr | ecn no | dr | date | tolerances unless otherwise specified | | INCH/MM | | title | |
| BE | | | | angles | XX*.01/X*.3 | INCH/MM | | MINI LATCH HOUSING | |
| | | | | 0'±.2' | XXX*.005/XX*.13 | scale 3:1 | | SINGLE ROW .100 [2.54] CC | |
| | | | | | XXXX*.0020/XXX*.051 | | | dwg no | |
| | | dr | M. CORNMAN | | | | | sheet 2 of 12 | |
| | | engr | H. SUNDY | | | | | 65039 | |
| | | chr | H. SUNDY | | | | | A4 | |
| | | appd | H. SUNDY | | | | | type Product Customer Drawing | |
| sheet index | revision sheet | | | | | | | | |

form: A4mmXLC

1 |

2 |

3 |

4




| | | | |
|---|--|---|--|
| <p>PRODUCT NO SEE TABLE</p> <p>MARK CO. LOGO TRADEMARK & PART NO. & CAVITY NO. APPROX. AS SHOWN.</p> <p>STYLE A</p> | <p>MARK CUST NAME AND CAVITY NO. APPROX AS SHOWN.</p> <p>STYLE D</p> | <p>CO. LOGO, CUSTOMER PART NO. FIRST AND LAST CAVITIES AND EVERY FIFTH CAVITY MARKED PERMANENTLY AND LEGIBLE IN WHITE INK APPROX AS SHOWN.</p> <p>NOTE 7</p> <p>STYLE G</p> | <p>MARK THIS ENTIRE END WHITE</p> <p>STYLE K</p> |
| <p>MARK CO. LOGO TRADEMARK & PART NO. & CAVITY NO. APPROX. AS SHOWN.</p> <p>STYLE B</p> | <p>MARK NUMBERS AS SHOWN CHARACTERS TO BE PERMANENT AND LEGIBLE AFTER REACHING #9 CAVITY CONTINUE ONLY MARKING EVERY OTHER ONE; IE. #11,#13, #15 ETC.</p> <p>STYLE E</p> | <p>MARK CHARACTERS AS SHOWN (ONE SIDE ONLY) 1,5,10,15, 20,ETC.</p> <p>LEAD-IN SIDE</p> <p>STYLE H</p> | <p>MARK CHARACTERS AS SHOWN IN WHITE (ONE SIDE ONLY)</p> <p>APPROX CENTERED ON PART</p> <p>STYLE L</p> |
| <p>MARK LETTERS AS SHOWN CHARACTERS TO BE PERMANENT & LEGIBLE. OMIT (I) POS AS SHOWN</p> <p>STYLE C</p> | <p>MARK ARROW IN WHITE APPROX AS SHOWN.</p> <p>STYLE F</p> | <p>NOTE 6</p> <p>STYLE J</p> | |

| | | | | | |
|---------------------------|----------------|-----------------------|-------------------------|---|--|
| mat'l. code SEE NOTE 1 | | surface ASME Y14.5 | tolerance ASME Y14.5 | projection | product family PV HOUSINGS |
| ltr | ecn no | dr | date | tolerances unless otherwise specified | title MINI LATCH HOUSING SINGLE ROW .100 [2.54] CC |
| BE | | | | angles XX±01/XX±3 XXX±005/XXX±13 XXXX±0020/XXX±051 | scale 1:1 |
| | | dr | M. CORNMAN | 1990-01-31 | dwg no 65039 |
| | | engr | H. SUNDY | 1990-01-31 | sheet 3 of 12 |
| | | chr | H. SUNDY | 1990-01-31 | size A4 |
| | | appd | H. SUNDY | 1990-01-31 | type Product Customer Drawing |
| sheet index | revision sheet | | | | |

PRODUCT NO
SEE TABLE

MARK CHARACTERS ON SIDE OPPOSITE THE LATCHES ON THE PLUGGABLE SQUARE PIN END




MARK AN M (BLACK) IN THE CORNER AS SHOWN, WITH A WHITE BACKGROUND.



CAVITY MARKED WITH ARROW

MARK AN M (BLACK) IN THE CORNER AS SHOWN, WITH A WHITE BACKGROUND, ON BOTH SIDES OF THE PART.

DATE CODE



| | | | | | | | | | | |
|---------------------------|----------------|-----------------------|------------|---------------------------------------|-------------------|---------------------------|-----|--|----------------------------------|--|
| mat'l. code SEE NOTE 1 | | surface ASME Y14.5 | | tolerance ASME Y14.5 | | projection FIRST ANGLE | | product family PV HOUSINGS | | |
| ltr | ecn no | dr | date | tolerances unless otherwise specified | | INCH/MM | | title MINI LATCH HOUSING SINGLE ROW .100 [2.54] CC | | |
| BE | | | | angles | inches/mm | scale 1:1 | | dwg no 65039 | | |
| | | | | 0°±2' | XXXX+0020/XXX+051 | | | sheet 4 of 12 size A4 | | |
| | | dr | M. CORNMAN | 1990-01-31 | | | FCI | | type Product Customer Drawing | |
| | | engr | H. SUNDY | 1990-01-31 | | | | | | |
| | | chr | H. SUNDY | 1990-01-31 | | | | | | |
| | | appd | H. SUNDY | 1990-01-31 | | | | | | |
| sheet index | revision sheet | | | | | | | | | |



| PRODUCT NO. | NO.OF POS. | DIM A MAX | DIM B | EUROPEAN VERSION-NOTE 12 | CONFIGURATION |
|-------------|------------|-------------|-------------|--------------------------|---------------|
| 65039-001LF | 36 | 3.600/91.44 | 3.500/88.90 | 65039-001ELF | 1 |
| 65039-002LF | 35 | 3.500/88.90 | 3.400/86.36 | 65039-002ELF | 1 |
| 65039-003LF | 34 | 3.400/86.36 | 3.300/83.82 | 65039-003ELF | 1 |
| 65039-004LF | 33 | 3.300/83.82 | 3.200/81.28 | 65039-004ELF | 1 |
| 65039-005LF | 32 | 3.200/81.28 | 3.100/78.74 | 65039-005ELF | 1 |
| 65039-006LF | 31 | 3.100/78.74 | 3.000/76.20 | 65039-006ELF | 1 |
| 65039-007LF | 30 | 3.000/76.20 | 2.900/73.66 | 65039-007ELF | 1 |
| 65039-008LF | 29 | 2.900/73.66 | 2.800/71.12 | 65039-008ELF | 1 |
| 65039-009LF | 28 | 2.800/71.12 | 2.700/68.58 | 65039-009ELF | 1 |
| 65039-010LF | 27 | 2.700/68.58 | 2.600/66.04 | 65039-010ELF | 1 |
| 65039-011LF | 26 | 2.600/66.04 | 2.500/63.50 | 65039-011ELF | 1 |
| 65039-012LF | 25 | 2.500/63.50 | 2.400/60.96 | 65039-012ELF | 1 |
| 65039-013LF | 24 | 2.400/60.96 | 2.300/58.24 | 65039-013ELF | 1 |
| 65039-014LF | 23 | 2.300/58.24 | 2.200/55.88 | 65039-014ELF | 1 |
| 65039-015LF | 22 | 2.200/55.88 | 2.100/53.34 | 65039-015ELF | 1 |
| 65039-016LF | 21 | 2.100/53.34 | 2.000/50.80 | 65039-016ELF | 1 |
| 65039-017LF | 20 | 2.000/50.80 | 1.900/48.26 | 65039-017ELF | 1 |
| 65039-018LF | 19 | 1.900/48.26 | 1.800/45.72 | 65039-018ELF | 1 |
| 65039-019LF | 18 | 1.800/45.72 | 1.700/43.18 | 65039-019ELF | 1 |
| 65039-020LF | 17 | 1.700/43.18 | 1.600/40.64 | 65039-020ELF | 1 |
| 65039-021LF | 16 | 1.600/40.64 | 1.500/38.10 | 65039-021ELF | 1 |
| 65039-022LF | 15 | 1.500/38.10 | 1.400/35.56 | 65039-022ELF | 1 |
| 65039-023LF | 14 | 1.400/35.56 | 1.300/33.02 | 65039-023ELF | 1 |
| 65039-024LF | 13 | 1.300/33.02 | 1.200/30.48 | 65039-024ELF | 1 |
| 65039-025LF | 12 | 1.200/30.48 | 1.100/27.94 | 65039-025ELF | 1 |
| 65039-026LF | 11 | 1.100/27.94 | 1.000/25.40 | 65039-026ELF | 1 |
| 65039-027LF | 10 | 1.000/25.40 | .900/22.86 | 65039-027ELF | 1 |
| 65039-028LF | 9 | .900/22.86 | .800/20.32 | 65039-028ELF | 1 |
| 65039-029LF | 8 | .800/20.32 | .700/17.78 | 65039-029ELF | 1 |
| 65039-030LF | 7 | .700/17.78 | .600/15.24 | 65039-030ELF | 1 |
| 65039-031LF | 6 | .600/15.24 | .500/12.70 | 65039-031ELF | 1 |
| 65039-032LF | 5 | .500/12.70 | .400/10.16 | 65039-032ELF | 1 |
| 65039-033LF | 4 | .400/10.16 | .300/7.62 | 65039-033ELF | 1 |
| 65039-034LF | 3 | .300/7.62 | .200/5.08 | 65039-034ELF | 1 |
| 65039-035LF | 2 | .200/5.08 | .100/2.54 | 65039-035ELF | 1 |
| 65039-036LF | 1 | .100/2.54 | — | — | 1 |

| | | | | | | | | | |
|-------------|----------------|------------|------------|---------------------------------------|-------------------|------------|---------------|--------------------------|--|
| mat'l. code | | surface | | tolerance | | projection | | product family | |
| SEE NOTE 1 | | ASME Y14.5 | | ASME Y14.5 | | | | PV HOUSINGS | |
| ltr | ecn no | dr | date | tolerances unless otherwise specified | | | | | |
| BE | | | | angles | XX*01/X*3 | | INCH/MM | | |
| | | | | | XXX*005/XXX*13 | | scale 3:1 | | |
| | | | | | XXXX*0020/XXX*051 | | sheet 5 of 12 | | |
| | | dr | M. CORNMAN | 1990-01-31 | | size | | | |
| | | engr | H. SUNDY | 1990-01-31 | | 65039 | | A4 | |
| | | chr | H. SUNDY | 1990-01-31 | | Type | | Product Customer Drawing | |
| | | appd | H. SUNDY | 1990-01-31 | | | | | |
| sheet index | revision sheet | | | | | | | | |



| MILITARY PRODUCT NO. | MADE FROM | MARKING STYLE | DESC P/N | CAGE NO. | REMARKS |
|----------------------|-----------|---------------|----------|----------|------------|
| 65039-001-MIL | 65039-001 | T | 86060-36 | 22526 | OBSELETE |
| 65039-002-MIL | 65039-002 | T | 86060-35 | 22526 | OBSELETE |
| 65039-003-MIL | 65039-003 | T | 86060-34 | 22526 | OBSELETE |
| 65039-004-MIL | 65039-004 | T | 86060-33 | 22526 | OBSELETE |
| 65039-005-MIL | 65039-005 | T | 86060-32 | 22526 | OBSELETE |
| 65039-006-MIL | 65039-006 | T | 86060-31 | 22526 | OBSELETE |
| 65039-007-MIL | 65039-007 | T | 86060-30 | 22526 | OBSELETE |
| 65039-008-MIL | 65039-008 | T | 86060-29 | 22526 | OBSELETE |
| 65039-009-MIL | 65039-009 | T | 86060-28 | 22526 | OBSELETE |
| 65039-010-MIL | 65039-010 | T | 86060-27 | 22526 | OBSELETE |
| 65039-011-MIL | 65039-011 | T | 86060-26 | 22526 | OBSELETE |
| 65039-012-MIL | 65039-012 | T | 86060-25 | 22526 | OBSELETE |
| 65039-013-MIL | 65039-013 | T | 86060-24 | 22526 | OBSELETE |
| 65039-014-MIL | 65039-014 | T | 86060-23 | 22526 | OBSELETE |
| 65039-015-MIL | 65039-015 | T | 86060-22 | 22526 | OBSELETE |
| 65039-016-MIL | 65039-016 | T | 86060-21 | 22526 | OBSELETE |
| 65039-017-MIL | 65039-017 | T | 86060-20 | 22526 | OBSELETE |
| 65039-018-MIL | 65039-018 | T | 86060-19 | 22526 | OBSELETE |
| 65039-019-MIL | 65039-019 | T | 86060-18 | 22526 | OBSELETE |
| 65039-020-MIL | 65039-020 | T | 86060-17 | 22526 | OBSELETE |
| 65039-021-MIL | 65039-021 | T | 86060-16 | 22526 | OBSELETE |
| 65039-022-MIL | 65039-022 | T | 86060-15 | 22526 | OBSELETE |
| 65039-023-MIL | 65039-023 | T | 86060-14 | 22526 | OBSELETE |
| 65039-024-MIL | 65039-024 | T | 86060-13 | 22526 | OBSELETE |
| 65039-025-MIL | 65039-025 | T | 86060-12 | 22526 | OBSELETE |
| 65039-026-MIL | 65039-026 | T | 86060-11 | 22526 | OBSELETE |
| 65039-027-MIL | 65039-027 | T | 86060-10 | 22526 | OBSELETE |
| 65039-028-MIL | 65039-028 | T | 86060-09 | 22526 | SEE NOTE 8 |
| 65039-029-MIL | 65039-029 | T | 86060-08 | 22526 | SEE NOTE 8 |
| 65039-030-MIL | 65039-030 | T | 86060-07 | 22526 | SEE NOTE 8 |
| 65039-031-MIL | 65039-031 | T | 86060-06 | 22526 | SEE NOTE 8 |
| 65039-032-MIL | 65039-032 | T | 86060-05 | 22526 | SEE NOTE 8 |
| 65039-033-MIL | 65039-033 | T | 86060-04 | 22526 | SEE NOTE 8 |
| 65039-034-MIL | 65039-034 | T | 86060-03 | 22526 | SEE NOTE 8 |
| 65039-035-MIL | 65039-035 | T | 86060-02 | 22526 | SEE NOTE 8 |
| 65039-036-MIL | 65039-036 | T | 86060-01 | 22526 | SEE NOTE 8 |

A

A

B

B

| | | | | | | | | | |
|-------------|--------|----------------|------------|---------------------------------------|-------------------|------------|--|-------------------------------|--|
| mat'l. code | | surface | | tolerance | | projection | | product family | |
| SEE NOTE 1 | | ASME Y14.5 | | ASME Y14.5 | | | | PV HOUSINGS | |
| ltr | ecn no | dr | date | tolerances unless otherwise specified | | INCH/MM | | title | |
| BE | | | | angles | XX*01/XX*3 | | | MINI LATCH HOUSING | |
| | | | | | XXX*005/XXX*13 | | | SINGLE ROW .100 [2.54] CC | |
| | | | | 0'±2' | XXXX*0020/XXX*051 | scale 1:1 | | dwg no | |
| | | dr | M. CORNMAN | | 1990-01-31 | | | sheet 6 of 12 | |
| | | enr | H. SUNDY | | 1990-01-31 | | | size | |
| | | chr | H. SUNDY | | 1990-01-31 | | | 65039 | |
| | | appd | H. SUNDY | | 1990-01-31 | | | A4 | |
| sheet index | | revision sheet | | | | | | type Product Customer Drawing | |



| PRODUCT NO | NO.OF POS. | DIM A MAX | DIM B | SPECIAL MARKINGS | CUSTOMER RESTRICTED | CONFIGURATION |
|-------------|------------|-------------|-------------|------------------|---------------------|---------------|
| 65039-037LF | 8 | .800/20.32 | .700/17.78 | STYLE A | | 1 |
| 65039-038LF | 8 | .800/20.32 | .700/17.78 | B | | |
| 65039-039LF | 10 | 1.000/25.40 | .900/22.86 | C | | |
| 65039-040LF | 5 | .500/12.70 | .400/10.16 | C | | |
| 65039-041LF | 8 | .800/20.32 | .700/17.78 | D | X | |
| 65039-042LF | 8 | .800/20.32 | .700/17.78 | E | | |
| 65039-043LF | 6 | .600/15.24 | .500/12.70 | E | | |
| 65039-044LF | 10 | 1.000/25.40 | .900/22.86 | A | | |
| 65039-045LF | 4 | .400/10.16 | .300/7.62 | A | | |
| 65039-046LF | 9 | .900/22.86 | .800/20.32 | A | | |
| 65039-047LF | 7 | .700/17.78 | .600/15.24 | A | | |
| 65039-048LF | 20 | 2.000/50.80 | 1.900/48.26 | A | | |
| 65039-049LF | 3 | .300/7.62 | .200/5.08 | C | | |
| 65039-050LF | 8 | .800/20.32 | .700/17.78 | F | | |
| 65039-051LF | 16 | 1.600/40.64 | 1.500/38.10 | F | | |
| 65039-052LF | 20 | 2.000/50.80 | 1.900/48.26 | F | | |
| 65039-053LF | 24 | 2.400/69.96 | 2.300/58.24 | F | | |
| 65039-054LF | 19 | 1.900/48.26 | 1.800/45.72 | E | | |
| 65039-055LF | 33 | 3.300/83.82 | 3.200/81.28 | E | | |
| 65039-056LF | 7 | .700/17.78 | .600/15.24 | E | | |
| 65039-057LF | 4 | .400/10.16 | .300/7.62 | F | | |
| 65039-058LF | 12 | 1.200/30.48 | 1.100/27.94 | F | | |
| 65039-059LF | 14 | 1.400/35.56 | 1.300/33.02 | F | | |
| 65039-060LF | 6 | .600/15.24 | .500/12.70 | A | | |
| 65039-061LF | 2 | .200/5.08 | .100/2.54 | A | | |
| 65039-062LF | 2 | .200/5.08 | .100/2.54 | F | | |
| 65039-063LF | 10 | 1.000/25.40 | .900/22.86 | F | | |
| 65039-064LF | 8 | .800/20.32 | .700/17.78 | G | X | |
| 65039-065LF | 13 | 1.300/33.02 | 1.200/30.48 | A | | |
| 65039-066LF | 11 | 1.100/27.94 | 1.000/25.40 | A | | |
| 65039-067LF | 14 | 1.400/35.56 | 1.300/33.02 | A | | |
| 65039-068LF | 21 | 2.100/53.34 | 2.000/50.80 | A | | |
| 65039-069LF | 2 | .200/5.08 | .100/2.54 | C | | |
| 65039-070LF | 8 | .800/20.32 | .700/17.78 | C | | |
| 65039-071LF | 17 | 1.700/43.18 | 1.600/40.64 | A | | |
| 65039-072LF | 7 | .700/17.78 | .600/15.24 | STYLE H | | 1 |

| | | | | | | | | | |
|-------------|----------------|------------|------------|---------------------------------------|-------------------|------------|--|-------------------------------|--|
| mat'l. code | | surface | | tolerance | | projection | | product family | |
| SEE NOTE 1 | | ASME Y14.5 | | ASME Y14.5 | | | | PV HOUSINGS | |
| ltr | ecn no | dr | date | tolerances unless otherwise specified | | | | title | |
| BE | | | | angles | XX+01/XX+3 | INCH/MM | | MINI LATCH HOUSING | |
| | | | | linear | XXX+005/XXX+13 | 1:1 | | SINGLE ROW .100 [2.54] CC | |
| | | | | 0'±2' | XXXX+0020/XXX+051 | scale | | sheet 7 of 12 size | |
| | | dr | M. CORNMAN | | 1990-01-31 | | | dwg no 65039 A4 | |
| | | enr | H. SUNDY | | 1990-01-31 | | | type Product Customer Drawing | |
| | | chr | H. SUNDY | | 1990-01-31 | | | | |
| | | appd | H. SUNDY | | 1990-01-31 | | | | |
| sheet index | revision sheet | | | | | | | | |



| PRODUCT NO | NO.OF POS. | DIM A MAX | DIM B | SPECIAL MARKINGS | CUSTOMER RESTRICTED | CONFIGURATION |
|-------------|------------|-------------|-------------|------------------|---------------------|---------------|
| 65039-073LF | 32 | 3.200/81.28 | 3.100/78.74 | STYLE A | X | 1 |
| 65039-074LF | 3 | .300/7.62 | .200/5.08 | A | | |
| 65039-075LF | 16 | 1.600/40.64 | 1.500/38.10 | E | | |
| 65039-076LF | 25 | 2.500/63.50 | 2.400/60.96 | E | | |
| 65039-077LF | 5 | .500/12.70 | .400/10.16 | J | X | |
| 65039-078LF | 24 | 2.400/69.96 | 2.300/58.24 | A | | |
| 65039-079LF | 27 | 2.700/68.58 | 2.600/66.04 | A | | |
| 65039-080LF | 33 | 3.300/83.82 | 3.200/81.28 | A | | |
| 65039-081LF | 29 | 2.900/73.66 | 2.800/71.12 | A | | |
| 65039-082LF | 5 | .500/12.70 | .400/10.16 | A | | |
| 65039-083LF | 7 | .700/17.78 | .600/15.24 | K | | |
| 65039-084LF | 3 | .300/7.62 | .200/5.08 | E | X | |
| 65039-085LF | 9 | .900/22.86 | .800/20.32 | E | X | |
| 65039-086LF | 11 | 1.100/27.94 | 1.000/25.40 | E | X | |
| 65039-087LF | 25 | 2.500/63.50 | 2.400/60.96 | A | | |
| 65039-088LF | 15 | 1.500/38.10 | 1.400/35.56 | A | | |
| 65039-089LF | 4 | .400/10.16 | .300/7.62 | C | | |
| 65039-090LF | 12 | 1.200/30.48 | 1.100/27.94 | A | | |
| 65039-091LF | 4 | .400/10.16 | .300/7.62 | L | | |
| 65039-092LF | 16 | 1.600/40.64 | 1.500/38.10 | A | | |
| 65039-093LF | 18 | 1.800/45.72 | 1.700/43.18 | A | | |
| 65039-094LF | 19 | 1.900/48.26 | 1.800/45.72 | A | | |
| 65039-095LF | 22 | 2.200/55.88 | 2.100/53.34 | A | | |
| 65039-096LF | 23 | 2.300/58.42 | 2.200/55.88 | A | | |
| 65039-097LF | 26 | 2.600/66.04 | 2.500/63.50 | A | | |
| 65039-098LF | 28 | 2.800/71.12 | 2.700/68.58 | A | | |
| 65039-099LF | 30 | 3.000/76.20 | 2.900/73.66 | A | | |
| 65039-100LF | 31 | 3.100/78.74 | 3.000/76.20 | A | | |
| 65039-101LF | 34 | 3.400/86.36 | 3.300/83.82 | A | | |
| 65039-102LF | 35 | 3.500/88.90 | 3.400/86.36 | A | | |
| 65039-103LF | 36 | 3.600/91.44 | 3.500/88.90 | A | | |
| 65039-104LF | 2 | .200/5.08 | .100/2.54 | E | | |
| 65039-105LF | 2 | .200/5.08 | .100/2.54 | M | | |
| 65039-106LF | 3 | .300/7.62 | .200/5.08 | N | | |
| 65039-107LF | 5 | .500/12.70 | .400/10.16 | N | | |
| 65039-108LF | 9 | .900/22.86 | .800/20.32 | STYLE F | | 1 |

| | | | | | | | | | |
|-------------|--------|----------------|------------|---------------------------------------|---------------------|------------|-----------|----------------|---------------------------|
| mat'l. code | | surface | | tolerance | | projection | | product family | |
| SEE NOTE 1 | | ASME Y14.5 | | ASME Y14.5 | | | | PV HOUSINGS | |
| ltr | ecn no | dr | date | tolerances unless otherwise specified | | | | | |
| BE | | | | angles | XX*.01/XX*.3 | | INCH/MM | | title |
| | | | | | XXX*.005/XXX*.13 | | scale 1:1 | | MINI LATCH HOUSING |
| | | | | 0'±2' | XXXX*.0020/XXX*.051 | | | | SINGLE ROW .100 [2.54] CC |
| | | dr | M. CORNMAN | 1990-01-31 | dwg no | | | | |
| | | enr | H. SUNDY | 1990-01-31 | sheet 8 of 12 | | | | |
| | | chr | H. SUNDY | 1990-01-31 | size | | | | |
| | | appd | H. SUNDY | 1990-01-31 | 65039 | | | | |
| sheet index | | revision sheet | | type Product Customer Drawing | | | | | |



Copyright FCI



FCIconnect.com



1 | 2

3 |

4

| PRODUCT NO | NO. OF POS. | DIM A MAX | DIM B | SPECIAL MARKINGS | CUSTOMER RESTRICTED | CONFIGURATION |
|-------------|-------------|-----------|------------|------------------|---------------------|---------------|
| 65039-109LF | 2 | .200/5.08 | .100/2.54 | STYLE P | | 1 |
| 65039-110LF | 5 | .500/12.7 | .400/10.16 | STYLE R | | 1 |
| 65039-111LF | 5 | .500/12.7 | .400/10.16 | STYLE S | | 1 |

A

A

B

B

| | | | | | | | | | |
|-------------|----------------|------------|------------|---------------------------------------|---------------------|------------|-------------------------------|---------------------------|--|
| mat'l. code | | surface | | tolerance | | projection | | product family | |
| SEE NOTE 1 | | ASME Y14.5 | | ASME Y14.5 | | | | PV HOUSINGS | |
| ltr | ecn no | dr | date | tolerances unless otherwise specified | | INCH/MM | | title | |
| BE | | | | angles | XX*.01/X*.3 | | | MINI LATCH HOUSING | |
| | | | | | XXX*.005/XX*.13 | scale 1:1 | | SINGLE ROW .100 [2.54] CC | |
| | | | | 0'±.2' | XXXX*.0020/XXX*.051 | | | dwg no sheet 9 of 12 size | |
| | | dr | M. CORNMAN | 1990-01-31 | | | 65039 A4 | | |
| | | engr | H. SUNDY | 1990-01-31 | | | Type Product Customer Drawing | | |
| | | chr | H. SUNDY | 1990-01-31 | | | | | |
| | | appd | H. SUNDY | 1990-01-31 | | | | | |
| sheet index | revision sheet | | | | | | | | |

form: A4mmXLC

1 |

2 |

3 |

4

| PRODUCT NO | NO.OF POS. | DIM A MAX | DIM B | SPECIAL MARKINGS | CUSTOMER RESTRICTED | CONFIGURATION |
|-------------|------------|-------------|-------------|------------------|---------------------|---------------|
| 65039-201LF | 36 | 3.600/91.44 | 3.500/88.90 | NOTE 9 | NOTE 9 | 2 |
| 65039-202LF | 35 | 3.500/88.90 | 3.400/86.36 | | | |
| 65039-203LF | 34 | 3.400/86.36 | 3.300/83.82 | | | |
| 65039-204LF | 33 | 3.300/83.82 | 3.200/81.28 | | | |
| 65039-205LF | 32 | 3.200/81.28 | 3.100/78.74 | | | |
| 65039-206LF | 31 | 3.100/78.74 | 3.000/76.20 | | | |
| 65039-207LF | 30 | 3.000/76.20 | 2.900/73.66 | | | |
| 65039-208LF | 29 | 2.900/73.66 | 2.800/71.12 | | | |
| 65039-209LF | 28 | 2.800/71.12 | 2.700/68.58 | | | |
| 65039-210LF | 27 | 2.700/68.58 | 2.600/66.04 | | | |
| 65039-211LF | 26 | 2.600/66.04 | 2.500/63.50 | | | |
| 65039-212LF | 25 | 2.500/63.50 | 2.400/60.96 | | | |
| 65039-213LF | 24 | 2.400/60.96 | 2.300/58.24 | | | |
| 65039-214LF | 23 | 2.300/58.24 | 2.200/55.88 | | | |
| 65039-215LF | 22 | 2.200/55.88 | 2.100/53.34 | | | |
| 65039-216LF | 21 | 2.100/53.34 | 2.000/50.80 | | | |
| 65039-217LF | 20 | 2.000/50.80 | 1.900/48.26 | | | |
| 65039-218LF | 19 | 1.900/48.26 | 1.800/45.72 | | | |
| 65039-219LF | 18 | 1.800/45.72 | 1.700/43.18 | | | |
| 65039-220LF | 17 | 1.700/43.18 | 1.600/40.64 | | | |
| 65039-221LF | 16 | 1.600/40.64 | 1.500/38.10 | | | |
| 65039-222LF | 15 | 1.500/38.10 | 1.400/35.56 | | | |
| 65039-223LF | 14 | 1.400/35.56 | 1.300/33.02 | | | |
| 65039-224LF | 13 | 1.300/33.02 | 1.200/30.48 | | | |
| 65039-225LF | 12 | 1.200/30.48 | 1.100/27.94 | | | |
| 65039-226LF | 11 | 1.100/27.94 | 1.000/25.40 | | | |
| 65039-227LF | 10 | 1.000/25.40 | .900/22.86 | | | |
| 65039-228LF | 9 | .900/22.86 | .800/20.32 | | | |
| 65039-229LF | 8 | .800/20.32 | .700/17.78 | | | |
| 65039-230LF | 7 | .700/17.78 | .600/15.24 | | | |
| 65039-231LF | 6 | .600/15.24 | .500/12.70 | | | |
| 65039-232LF | 5 | .500/12.70 | .400/10.16 | | | |
| 65039-233LF | 4 | .400/10.16 | .300/7.62 | | | |
| 65039-234LF | 3 | .300/7.62 | .200/5.08 | | | |
| 65039-235LF | 2 | .200/5.08 | .100/2.54 | | | |
| 65039-236LF | 1 | .100/2.54 | | NOTE 9 | NOTE 9 | 2 |

A

A

B

B

| | | | | | | | | | |
|-------------|--------|----------------|------------|---------------------------------------|---------------------|------------|-----------|----------------|---------------------------|
| mat'l. code | | surface | | tolerance | | projection | | product family | |
| SEE NOTE 1 | | ASME Y14.5 | | ASME Y14.5 | | | | PV HOUSINGS | |
| ltr | ecn no | dr | date | tolerances unless otherwise specified | | | | | |
| BE | | | | angles | XX*.01/X*.3 | | INCH/MM | | title |
| | | | | | XXX*.005/XX*.13 | | | | MINI LATCH HOUSING |
| | | | | 0'±.2' | XXXX*.0020/XXX*.051 | | scale 1:1 | | SINGLE ROW .100 [2.54] CC |
| | | dr | M. CORNMAN | 1990-01-31 | dwg no | | | | |
| | | engr | H. SUNDY | 1990-01-31 | sheet 10 of 12 | | | | |
| | | chr | H. SUNDY | 1990-01-31 | size | | | | |
| | | appd | H. SUNDY | 1990-01-31 | A4 | | | | |
| sheet index | | revision sheet | | type Product Customer Drawing | | | | | |



| PRODUCT NO | NO. OF POS. | DIM A MAX | DIM B | SPECIAL MARKINGS | CUSTOMER RESTRICTED | CONFIGURATION |
|-------------|-------------|-------------|-------------|------------------|---------------------|---------------|
| 65039-237LF | 8 | .800/20.32 | .700/17.78 | A | | 2 |
| 65039-238LF | 8 | .800/20.32 | .700/17.78 | B | | |
| 65039-239LF | 10 | 1.000/25.40 | .900/22.86 | C | | |
| 65039-240LF | 5 | .500/12.70 | .400/10.16 | C | | |
| 65039-241LF | 8 | .800/20.32 | .700/17.78 | D | | |
| 65039-242LF | 8 | .800/20.32 | .700/17.78 | E | | |
| 65039-243LF | 6 | .600/15.24 | .500/12.70 | E | | |
| 65039-244LF | 10 | 1.000/25.40 | .900/22.86 | A | | |
| 65039-245LF | 4 | .400/10.16 | .300/7.62 | A | | |
| 65039-246LF | 9 | .900/22.86 | .800/20.32 | A | | |
| 65039-247LF | 7 | .700/17.78 | .600/15.24 | A | | |
| 65039-248LF | 20 | 2.000/50.80 | 1.900/48.26 | A | | |
| 65039-249LF | 3 | .300/7.62 | .200/5.08 | C | | |
| 65039-250LF | 8 | .800/20.32 | .700/17.78 | F | | |
| 65039-251LF | 16 | 1.600/40.64 | 1.500/38.10 | F | | |
| 65039-252LF | 20 | 2.000/50.80 | 1.900/48.26 | F | | |
| 65039-253LF | 24 | 2.400/60.96 | 2.300/58.24 | F | | |
| 65039-254LF | 19 | 1.900/48.26 | 1.800/45.72 | E | | |
| 65039-255LF | 33 | 3.300/83.82 | 3.200/81.28 | E | | |
| 65039-256LF | 7 | .700/17.78 | .600/15.24 | E | | |
| 65039-257LF | 4 | .400/10.16 | .300/7.62 | F | | |
| 65039-258LF | 12 | 1.200/30.48 | 1.100/27.94 | F | | |
| 65039-259LF | 14 | 1.400/35.56 | 1.300/33.02 | F | | |
| 65039-260LF | 6 | .600/15.24 | .500/12.70 | A | | |
| 65039-261LF | 2 | .200/5.08 | .100/2.54 | A | | |
| 65039-262LF | 2 | .200/5.08 | .100/2.54 | F | | |
| 65039-263LF | 10 | 1.000/25.40 | .900/22.86 | F | | |
| 65039-264LF | 8 | .800/20.32 | .700/17.78 | G | | |
| 65039-265LF | 13 | 1.300/33.02 | 1.200/30.48 | A | | |
| 65039-266LF | 11 | 1.100/27.94 | 1.000/25.40 | A | | |
| 65039-267LF | 14 | 1.400/35.56 | 1.300/33.02 | A | | |
| 65039-268LF | 21 | 2.100/53.34 | 2.000/50.80 | A | | |
| 65039-269LF | 2 | .200/5.08 | .100/2.54 | C | | |
| 65039-270LF | 8 | .800/20.32 | .700/17.78 | C | | |
| 65039-271LF | 17 | 1.700/43.18 | 1.600/40.64 | A | | |
| 65039-272LF | 7 | .700/17.78 | .600/15.24 | H | | |
| 65039-273LF | 32 | 3.200/81.28 | 3.100/78.74 | A | | |
| 65039-274LF | 3 | .300/7.62 | .200/5.08 | A | | |
| 65039-275LF | 16 | 1.600/40.64 | 1.500/38.10 | E | | |
| 65039-276LF | 25 | 2.500/63.50 | 2.400/60.96 | E | | |
| 65039-277LF | 5 | .500/12.70 | .400/10.16 | J | | 2 |

| | | | | | | | | | |
|-------------|----------------|------------|------------|---------------------------------------|---------------------|------------|-------------------------------|---------------------------|------|
| mat'l. code | | surface | | tolerance | | projection | | product family | |
| SEE NOTE 1 | | ASME Y14.5 | | ASME Y14.5 | | | | PV HOUSINGS | |
| ltr | ecn no | dr | date | tolerances unless otherwise specified | | INCH/MM | | title | |
| BE | | | | angles | XX*.01/XX*.3 | | | MINI LATCH HOUSING | |
| | | | | lines | XXX*.005/XXX*.13 | scale 1:1 | | SINGLE ROW .100 [2.54] CC | |
| | | | | 0*±2' | XXXX*.0020/XXX*.051 | | | dwg no | |
| | | dr | M. CORNMAN | 1990-01-31 | | | sheet 11 of 12 | | size |
| | | enr | H. SUNDY | 1990-01-31 | | | 65039 | | A4 |
| | | chr | H. SUNDY | 1990-01-31 | | | FCI | | |
| | | appd | H. SUNDY | 1990-01-31 | | | Type Product Customer Drawing | | |
| sheet index | revision sheet | | | | | | | | |

| PRODUCT NO | NO. OF POS. | DIM A MAX | DIM B | SPECIAL MARKINGS | CUSTOMER RESTRICTED | CONFIGURATION |
|-------------|-------------|-------------|-------------|------------------|---------------------|---------------|
| 65039-278LF | 24 | 2.400/60.96 | 2.300/58.24 | A | | 2 |
| 65039-279LF | 27 | 2.700/68.58 | 2.600/66.04 | A | | |
| 65039-280LF | 33 | 3.300/83.82 | 3.200/81.28 | A | | |
| 65039-281LF | 29 | 2.900/73.66 | 2.800/71.12 | A | | |
| 65039-282LF | 5 | .500/12.70 | .400/10.16 | A | | |
| 65039-283LF | 7 | .700/17.78 | .600/15.24 | K | | |
| 65039-284LF | 3 | .300/7.62 | .200/5.08 | E | | |
| 65039-285LF | 9 | .900/22.86 | .800/20.32 | E | | |
| 65039-286LF | 11 | 1.100/27.94 | 1.000/25.40 | E | | |
| 65039-287LF | 25 | 2.500/63.50 | 2.400/60.96 | A | | |
| 65039-288LF | 15 | 1.500/38.10 | 1.400/35.56 | A | | |
| 65039-289LF | 4 | .400/10.16 | .300/7.62 | C | | |
| 65039-290LF | 12 | 1.200/30.48 | 1.100/27.94 | A | | |
| 65039-291LF | 4 | .400/10.16 | .300/7.62 | L | | |
| 65039-292LF | 16 | 1.600/40.64 | 1.500/38.10 | A | | |
| 65039-293LF | 18 | 1.800/45.72 | 1.700/43.18 | A | | |
| 65039-294LF | 19 | 1.900/48.26 | 1.800/45.72 | A | | |
| 65039-295LF | 22 | 2.200/55.88 | 2.100/53.34 | A | | |
| 65039-296LF | 23 | 2.300/58.24 | 2.200/55.88 | A | | |
| 65039-297LF | 26 | 2.600/66.04 | 2.500/63.50 | A | | |
| 65039-298LF | 28 | 2.800/71.12 | 2.700/68.58 | A | | |
| 65039-299LF | 30 | 3.000/76.20 | 2.900/73.66 | A | | |
| 65039-300LF | 31 | 3.100/78.74 | 3.000/76.20 | A | | |
| 65039-301LF | 34 | 3.400/86.36 | 3.300/83.82 | A | | |
| 65039-302LF | 35 | 3.500/88.90 | 3.400/86.36 | A | | |
| 65039-303LF | 36 | 3.600/91.44 | 3.500/88.90 | A | | |
| 65039-304LF | 2 | .200/5.08 | .100/2.54 | E | | |
| 65039-305LF | 2 | .200/5.08 | .100/2.54 | M | | |
| 65039-306LF | 3 | .300/7.62 | .200/5.08 | N | | |
| 65039-307LF | 5 | .500/12.70 | .400/10.16 | N | | |
| 65039-308LF | 9 | .900/22.86 | .800/20.32 | F | | 2 |

| | | | | | | | | | |
|-------------|----------------|------------|------------|---------------------------------------|---------------------|------------|----------------|---------------------------|--------------------------|
| mat'l. code | | surface | | tolerance | | projection | | product family | |
| SEE NOTE 1 | | ASME Y14.5 | | ASME Y14.5 | | | | PV HOUSINGS | |
| ltr | ecn no | dr | date | tolerances unless otherwise specified | | INCH/MM | | title | |
| BE | | | | angles | XX*.01/X*.3 | | | MINI LATCH HOUSING | |
| | | | | | XXX*.005/XX*.13 | | | SINGLE ROW .100 [2.54] CC | |
| | | | | 0'±.2' | XXXX*.0020/XXX*.051 | scale 1:1 | | dwg no | |
| | | dr | M. CORNMAN | 1990-01-31 | | | sheet 12 of 12 | | size |
| | | enr | H. SUNDY | 1990-01-31 | | | 65039 | | A4 |
| | | chr | H. SUNDY | 1990-01-31 | | | FCI | | |
| | | appd | H. SUNDY | 1990-01-31 | | | Type | | Product Customer Drawing |
| sheet index | revision sheet | | | | | | | | |