



PRODUCT NO SEE TABLE		REV X		DESCRIPTION		QTY	DATE
-------------------------	--	----------	--	-------------	--	-----	------



2 x 5
STYLE A



2 x 7
STYLE C



2 x 5
STYLE B



2 x 8 THRU 2 x 30
STYLE D

NOTES:

1. SOLDERING MATERIAL, GLASS-FILLED POLYESTER, FLAME RETARDANT PER UL 94V-0, COLOR: BLUE.
2. TERMINAL MATERIAL, PHOSPHORUS BRONZE.
3. 1" MAX DRAFT PERMITTED ON ALL SURFACES.
4. SAME TOLERANCE APPLIES TO BOTH ENDS OF EACH TERMINAL.
5. 1.5 KG/4 LBS MIN TENSILE PULL-OUT FORCE.
6. .13/.005 STEP AROUND MOUNTING HOLE.
7. RECOMMENDED MOUNTING: SOLDER SIZE #2-#6 FILLISTER HEAD
 4.75/.125 LONG FOR 1.64/.05 BOARD
 6.4/.25 LONG FOR 2.47/.05, 3.18/.125 BOARD
8. ADD "LF" SUFFIX AT THE END OF PART NUMBER FOR LEAD FREE OPTION.
9. IF "LF" P/N THE PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATION AS DESCRIBED IN 00-00-000.
10. THE HOUSING WILL WITHSTAND EXPOSURE TO 260° PEAK TEMPERATURE FOR 15 SECONDS IN A WAVE SOLDER APPLICATION WITH A 1.5mm MINIMUM THICK CIRCUIT BOARD. SEE APPLICATION NOTES/PROCEDURES IF THEY ARE AVAILABLE.

11. plating option. maybe Either Gold or GXT plating at manufacturer's option.

REV	DATE	BY	CHK	DESCRIPTION	QTY	DATE

00 REF. STYLE 00-00-000-01 00-00-000-02 00-00-000-03 00-00-000-04 00-00-000-05 00-00-000-06 00-00-000-07 00-00-000-08 00-00-000-09 00-00-000-10 00-00-000-11 00-00-000-12 00-00-000-13 00-00-000-14 00-00-000-15 00-00-000-16 00-00-000-17 00-00-000-18 00-00-000-19 00-00-000-20 00-00-000-21 00-00-000-22 00-00-000-23 00-00-000-24 00-00-000-25 00-00-000-26 00-00-000-27 00-00-000-28 00-00-000-29 00-00-000-30 00-00-000-31 00-00-000-32 00-00-000-33 00-00-000-34 00-00-000-35 00-00-000-36 00-00-000-37 00-00-000-38 00-00-000-39 00-00-000-40 00-00-000-41 00-00-000-42 00-00-000-43 00-00-000-44 00-00-000-45 00-00-000-46 00-00-000-47 00-00-000-48 00-00-000-49 00-00-000-50 00-00-000-51 00-00-000-52 00-00-000-53 00-00-000-54 00-00-000-55 00-00-000-56 00-00-000-57 00-00-000-58 00-00-000-59 00-00-000-60 00-00-000-61 00-00-000-62 00-00-000-63 00-00-000-64 00-00-000-65 00-00-000-66 00-00-000-67 00-00-000-68 00-00-000-69 00-00-000-70 00-00-000-71 00-00-000-72 00-00-000-73 00-00-000-74 00-00-000-75 00-00-000-76 00-00-000-77 00-00-000-78 00-00-000-79 00-00-000-80 00-00-000-81 00-00-000-82 00-00-000-83 00-00-000-84 00-00-000-85 00-00-000-86 00-00-000-87 00-00-000-88 00-00-000-89 00-00-000-90 00-00-000-91 00-00-000-92 00-00-000-93 00-00-000-94 00-00-000-95 00-00-000-96 00-00-000-97 00-00-000-98 00-00-000-99 00-00-000-100		00-00-000-01 00-00-000-02 00-00-000-03 00-00-000-04 00-00-000-05 00-00-000-06 00-00-000-07 00-00-000-08 00-00-000-09 00-00-000-10 00-00-000-11 00-00-000-12 00-00-000-13 00-00-000-14 00-00-000-15 00-00-000-16 00-00-000-17 00-00-000-18 00-00-000-19 00-00-000-20 00-00-000-21 00-00-000-22 00-00-000-23 00-00-000-24 00-00-000-25 00-00-000-26 00-00-000-27 00-00-000-28 00-00-000-29 00-00-000-30 00-00-000-31 00-00-000-32 00-00-000-33 00-00-000-34 00-00-000-35 00-00-000-36 00-00-000-37 00-00-000-38 00-00-000-39 00-00-000-40 00-00-000-41 00-00-000-42 00-00-000-43 00-00-000-44 00-00-000-45 00-00-000-46 00-00-000-47 00-00-000-48 00-00-000-49 00-00-000-50 00-00-000-51 00-00-000-52 00-00-000-53 00-00-000-54 00-00-000-55 00-00-000-56 00-00-000-57 00-00-000-58 00-00-000-59 00-00-000-60 00-00-000-61 00-00-000-62 00-00-000-63 00-00-000-64 00-00-000-65 00-00-000-66 00-00-000-67 00-00-000-68 00-00-000-69 00-00-000-70 00-00-000-71 00-00-000-72 00-00-000-73 00-00-000-74 00-00-000-75 00-00-000-76 00-00-000-77 00-00-000-78 00-00-000-79 00-00-000-80 00-00-000-81 00-00-000-82 00-00-000-83 00-00-000-84 00-00-000-85 00-00-000-86 00-00-000-87 00-00-000-88 00-00-000-89 00-00-000-90 00-00-000-91 00-00-000-92 00-00-000-93 00-00-000-94 00-00-000-95 00-00-000-96 00-00-000-97 00-00-000-98 00-00-000-99 00-00-000-100
--	--	---

CUSTOMER COPY		FCI		www.fciconnect.com	
HEADER, SLANTING, SLIN LINE, VERTICAL		4/1		00000	

REVISIONS			
REV	DESCRIPTION	BY	DATE
24			

[illegible]

THIS DRAWING IS THE PROPERTY OF AND REMAINS THE PROPERTY OF THE BUREAU OF REVENUE. IT IS NOT TO BE REPRODUCED OR USED IN ANY MANNER WITHOUT THE WRITTEN PERMISSION OF THE BUREAU OF REVENUE, U.S. DEPARTMENT OF THE TREASURY.

PRODUCT NO	SIZE	DIM A	DIM B	DIM C	DIM D	DIM E	DIM J	TERM TYPE	TERM PLATING	STYLE
65492-031	2X25	74.9/2.95	69.1/2.72	60.96/2.400	70.61/2.780	68.58/2.700	2.67/.105	RD	.75 μ /30 μ " Au OVER 1.27 μ /50 μ " Ni	D
-032							3.8/.15	RD		
-033							17.15/.675	SO		
-034							2.67/.105	SO		
-035							3.8/.15	SO	3.81 μ /150 μ " TIN	
-036	2X25	74.9/2.95	69.1/2.72	60.96/2.400	70.61/2.780	68.58/2.700	17.15/.675	SO		D
-037	2X7	29.2/1.15	23.4/.92	15.24/.600	24.89/.980	22.86/.900	2.67/.105	RD	.75 μ /30 μ " Au OVER 1.27 μ /50 μ " Ni	C
-038							3.8/.15	RD		
-039							17.15/.675	SO		
-040							2.67/.105	SO		
-041							3.8/.15	SO	3.81 μ /150 μ " TIN	
-042	2X7	29.2/1.15	23.4/.92	15.24/.600	24.89/.980	22.86/.900	17.15/.675	SO		C
-043	2X8	31.8/1.25	25.9/1.02	17.78/.700	27.43/1.080	25.40/1.000	2.67/.105	RD	.75 μ /30 μ " Au OVER 1.27 μ /50 μ " Ni	D
-044							3.8/.15	RD		
-045							17.15/.675	SO		
-046							2.67/.105	SO		
-047							3.8/.15	SO	3.81 μ /150 μ " TIN	
-048	2X8	31.8/1.25	25.9/1.02	17.78/.700	27.43/1.080	25.40/1.000	17.15/.675	SO		D
-049	2X5	24.1/.95	18.3/.72	10.16/.400	19.81/.780	17.78/.700	3.8/.15	RD		A
-050	2X10	36.8/1.45	30.9/1.22	22.86/.900	32.51/1.280	30.48/1.200				O
-051	2X13	44.9/1.75	38.6/1.52	30.48/1.200	40.12/1.580	38.10/1.500				
-052	2X17	54.6/2.15	48.8/1.92	40.64/1.600	50.29/1.980	48.26/1.900			.75 μ /30 μ " GXT/GOLD FLASH	
-053	2X30	62.3/2.45	56.4/2.22	48.26/1.900	57.91/2.280	55.88/2.200				
-054	2X25	74.9/2.95	69.1/2.72	60.96/2.400	70.61/2.780	68.58/2.700				D
-055	2X7	29.2/1.15	23.4/.92	15.24/.600	24.89/.980	22.86/.900				C
-056	2X8	31.8/1.25	25.9/1.02	17.78/.700	27.43/1.080	25.40/1.000	3.8/.15	RD		D
-057	2X30	67.6/3.45	61.8/3.22	73.66/2.900	83.31/3.280	81.28/3.200	2.67/.105	RD	.75 μ /30 μ " Au OVER 1.27 μ /50 μ " Ni	
-058							3.8/.15	RD		
-059							17.15/.675	SO		
-060							2.67/.105	SO		
-061							3.8/.15	SO	3.81 μ /150 μ " TIN	
-062							17.15/.675	SO		
-063							2.67/.105	RD		
-064							3.8/.15	RD	.75 μ /30 μ " GXT/GOLD FLASH	
65492-065	2X30	67.6/3.45	61.8/3.22	73.66/2.900	83.31/3.280	81.28/3.200	17.15/.675	SO		D

DATE	TIME	BY	CHKD	DATE	TIME	BY	CHKD
XXXX	XXXX	XXXX	XXXX	XXXX	XXXX	XXXX	XXXX

NO NOT SCALE DIMENSIONS	NO NOT SCALE DIMENSIONS	NO NOT SCALE DIMENSIONS	NO NOT SCALE DIMENSIONS
NO NOT SCALE DIMENSIONS	NO NOT SCALE DIMENSIONS	NO NOT SCALE DIMENSIONS	NO NOT SCALE DIMENSIONS

TERMINATION	TERMINATION	TERMINATION	TERMINATION
TERMINATION	TERMINATION	TERMINATION	TERMINATION

CUSTOMER COPY	CODE IDENT	DATE	TIME	BY	CHKD
XXXX	XXXX	XXXX	XXXX	XXXX	XXXX

FCI	www.fci.com
-----	-------------

WHS	HEADER, QUICKTE SLIM LINE, VERTICAL
-----	-------------------------------------

DATE	TIME	BY	CHKD
XXXX	XXXX	XXXX	XXXX

PRODUCT NO	SIZE	DIM A	DIM B	DIM C	DIM D	DIM E	DIM J	TERM TYPE	TERM PLATING	STYLE	REVISIONS			
											REV	DESCRIPTION	BY	DATE
65692-066	2X5	24.1/.95	18.3/.72	10.16/.400	19.81/.780	17.78/.700	2.67/.105	RD	.76u/30u" GXT/GOLD FLASH	A				
-067	2X5	24.1/.95	18.3/.72	10.16/.400	19.81/.780	17.78/.700	17.15/.675	SO		A				
-068	2X7	29.2/1.15	23.4/.92	15.24/.600	24.89/.980	22.86/.900	2.67/.105	RD		C				
-069	2X7	29.2/1.15	23.4/.92	15.24/.600	24.89/.980	22.86/.900	17.15/.675	SO		C				
-070	2X8	31.8/1.25	25.9/1.02	17.78/.700	27.43/1.080	25.40/1.000	2.67/.105	RD		D				
-071	2X8	31.8/1.25	25.9/1.02	17.78/.700	27.43/1.080	25.40/1.000	17.15/.675	SO						
-072	2X10	36.8/1.45	30.9/1.22	22.86/.900	32.51/1.280	30.48/1.200	2.67/.105	RD						
-073	2X10	36.8/1.45	30.9/1.22	22.86/.900	32.51/1.280	30.48/1.200	17.15/.675	SO						
-074	2X13	44.5/1.75	38.6/1.52	30.48/1.200	40.12/1.580	38.10/1.500	2.67/.105	RD						
-075	2X13	44.5/1.75	38.6/1.52	30.48/1.200	40.12/1.580	38.10/1.500	17.15/.675	SO						
-076	2X17	54.6/2.15	48.8/1.92	40.64/1.600	50.29/1.980	48.26/1.900	2.67/.105	RD						
-077	2X17	54.6/2.15	48.8/1.92	40.64/1.600	50.29/1.980	48.26/1.900	17.15/.675	SO						
-078	2X20	62.2/2.45	56.4/2.22	48.26/1.900	57.91/2.280	55.88/2.200	2.67/.105	RD						
-079	2X20	62.2/2.45	56.4/2.22	48.26/1.900	57.91/2.280	55.88/2.200	17.15/.675	SO						
-080	2X25	74.9/2.95	69.1/2.72	60.96/2.400	70.61/2.780	68.58/2.700	2.67/.105	RD						
-081	2X25	74.9/2.95	69.1/2.72	60.96/2.400	70.61/2.780	68.58/2.700	17.15/.675	SO						
-082	2X5	24.1/.95	18.3/.72	10.16/.400	19.81/.780	17.78/.700	2.67/.105	RD	.38u/15u" Au OVER 1.27u/50u" Ni	A				
-083	2X5	24.1/.95	18.3/.72	10.16/.400	19.81/.780	17.78/.700	3.8/.15	RD		A				
-084	2X5	24.1/.95	18.3/.72	10.16/.400	19.81/.780	17.78/.700	17.15/.675	SO		A				
-085	2X7	29.2/1.15	23.4/.92	15.24/.600	24.89/.980	22.86/.900	2.67/.105	RD		C				
-086	2X7	29.2/1.15	23.4/.92	15.24/.600	24.89/.980	22.86/.900	3.8/.15	RD		C				
-087	2X7	29.2/1.15	23.4/.92	15.24/.600	24.89/.980	22.86/.900	17.15/.675	SO		C				
-088	2X8	31.8/1.25	25.9/1.02	17.78/.700	27.43/1.080	25.40/1.000	2.67/.105	RD		D				
-089	2X8	31.8/1.25	25.9/1.02	17.78/.700	27.43/1.080	25.40/1.000	3.8/.15	RD						
-090	2X8	31.8/1.25	25.9/1.02	17.78/.700	27.43/1.080	25.40/1.000	17.15/.675	SO						
-091	2X10	36.8/1.45	30.9/1.22	22.86/.900	32.51/1.280	30.48/1.200	2.67/.105	RD						
-092	2X10	36.8/1.45	30.9/1.22	22.86/.900	32.51/1.280	30.48/1.200	3.8/.15	RD						
-093	2X10	36.8/1.45	30.9/1.22	22.86/.900	32.51/1.280	30.48/1.200	17.15/.675	SO						
-094	2X13	44.5/1.75	38.6/1.52	30.48/1.200	40.12/1.580	38.10/1.500	2.67/.105	RD						
-095	2X13	44.5/1.75	38.6/1.52	30.48/1.200	40.12/1.580	38.10/1.500	3.8/.15	RD						
-096	2X13	44.5/1.75	38.6/1.52	30.48/1.200	40.12/1.580	38.10/1.500	17.15/.675	SO						
-097	2X17	54.6/2.15	48.8/1.92	40.64/1.600	50.29/1.980	48.26/1.900	2.67/.105	RD						
-098	2X17	54.6/2.15	48.8/1.92	40.64/1.600	50.29/1.980	48.26/1.900	3.8/.15	RD						
-099	2X17	54.6/2.15	48.8/1.92	40.64/1.600	50.29/1.980	48.26/1.900	17.15/.675	SO						
65692-100	2X20	62.2/2.45	56.4/2.22	48.26/1.900	57.91/2.280	55.88/2.200	2.67/.105	RD		D				

SHEET 1 OF 1	
DATE 1/1/00	
BY [Signature]	
CHECKED [Signature]	
DO NOT SCALE DIMENSIONS	
TOLERANCES UNLESS OTHERWISE SPECIFIED	
FRACTIONS 1/16" MINIMUM	
DECIMALS .005" MINIMUM	
ANGLES 12° MINIMUM	

CUSTOMER COPY	
CODE 1200V 28000	
DATE 1/1/00	
BY [Signature]	
CHECKED [Signature]	
DO NOT SCALE DIMENSIONS	
TOLERANCES UNLESS OTHERWISE SPECIFIED	
FRACTIONS 1/16" MINIMUM	
DECIMALS .005" MINIMUM	
ANGLES 12° MINIMUM	

www.fciconnect.com
 TITLE: HEADER, QUICKIE BLIN LINE, VERTICAL
 SIZE: 1/1 D 65692 SHEET 5

THIS DRAWING IS THE PROPERTY OF FCI. IT IS TO BE USED FOR THE MANUFACTURE OF THE PRODUCT SPECIFIED HEREIN. IT IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE WRITTEN PERMISSION OF FCI.

NOTE: This grant is the property of and remains the exclusive design of the artist/artist.

PRODUCT NO		SIZE	DIM A	DIM B	DIM C	DIM D	DIM E	DIM J	TERM TYPE	TERM PLATING	STYLE
65692-229		2X15	49.5/1.95	43.7/1.72	38.56/1.400	45.21/1.780	43.18/1.700	2.67/.105	RD	.38u/15u" Au OVER 1.27u/50u" Ni	D
-230								3.81/.150	RD		
-231								17.15/.675	SO		
-232								2.67/.105	RD	.76u/30u" Au OVER 1.27u/50u" Ni	
-233								3.81/.150	RD		
-234								17.15/.675	SO		
-235								2.67/.105	RD	.76u/30u" Au GXT/Au FLASH	
-236								3.81/.150	RD		
-237								17.15/.675	SO		
-238								2.67/.105	SO		
-239								3.81/.150	SO	3.81u/150u" TIN	
-240		2X15	49.5/1.95	43.7/1.72	38.56/1.400	45.21/1.780	43.18/1.700	17.15/.675	SO		
-241		2X22	67.3/2.65	61.5/2.42	53.34/2.100	62.99/2.480	60.96/2.400	2.67/.105	RD	.38u/15u" Au OVER 1.27u/50u" Ni	
-242								3.81/.150	RD		
-243								17.15/.675	SO		
-244								2.67/.105	RD	.76u/30u" Au OVER 1.27u/50u" Ni	
-245								3.81/.150	RD		
-246								17.15/.675	SO		
-247								2.67/.105	RD	.76u/30u" Au GXT/Au FLASH	
-248								3.81/.150	RD		
-249								17.15/.675	SO		
-250								2.67/.105	SO		
-251								3.81/.150	SO	3.81u/150u" TIN	
-252		2X22	67.3/2.65	61.5/2.42	53.34/2.100	62.99/2.480	60.96/2.400	17.15/.675	SO		D
-253		2X5	24.1/1.95	18.3/1.72	10.16/.400	19.81/1.780	17.78/1.700	2.67/.105	SO	.76u/30u" Au OVER 1.27u/50u" Ni	A
-254		2X10	36.8/1.45	30.9/1.22	22.86/.900	32.51/1.280	30.48/1.200	2.67/.105	SO		D
-255		2X17	54.6/2.15	48.8/1.92	40.64/1.600	50.29/1.980	48.26/1.900	2.67/.105	SO		D
-256		2X5									
-257		2X10									
-258		2X20									
-259		2X10									
-260		2X17									
-261		2X20									
-262		2X17									
65692-263		2X5									

CUSTOMER RESTRICTED

CUSTOMER RESTRICTED

SHEET INDEX		TITLE		DATE		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV		REV	
-------------	--	-------	--	------	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--

PRODUCT NO	SIZE	DIM A	DIM B	DIM C	DIM D	DIM E	DIM J	TERM TYPE	TERM PLATING	STYLE	
65692-264	2X5										
65692-265	2X13	CUSTOMER RESTRICTED									

CUSTOMER COPY

DATE TIME BY

CODE VER

2555A



www.fciconnect.com

TYPE HEADR. QUICKIE SLIN LINE. VERTICAL

DATE TIME BY

DATE TIME BY

65692 PART 0