




PRODUCT NUMBER	PLATING PERFORMANCE LEVEL	PRESS-FIT TAIL PLATING
73981-102	TELCORDIA CO	SnPb
73981-102LF		Sn (SEE NOTE 14)
73981-302	CUSTOMER SPECIAL	SnPb
73981-302LF		Sn (SEE NOTE 14)
73981-902	TELCORDIA CO	SnPb
73981-902LF		Sn (SEE NOTE 14)
73981-902S	CUSTOMER SPECIAL	SnPb
73981-902SLF		Sn (SEE NOTE 14)



mat'l code SEE NOTE 2				tolerances unless otherwise specified		CUSTOMER		FCI	
ltr	ecn no.	dr	date	linear	0.X ±0.3	COPY	projection	title	www.fciconnect.com
AC	V06-0544	DCH	2006-06-09	linear	0.XX ±0.10			RIGHT ANGLE SIGNAL RECEPT. 5 ROW, 30 POSITION	
AD	V07-0352	HTB	2007-06-05	linear	0.XXX ±0.050				
AE	V07-0430	DCH	2007-06-27	angles	0° ±2°			product family	METRAL 1000
AF	V07-0706	HTB	2007-12-10	dr	S. STONER 2000-06-30	MM		size	213
-	-	-	-	engr	W.J. SWAIN 2000-06-14	scale		dwg no	73981
AA	V05-0391	DAI	2005-04-25	chr	W.J. SWAIN 2001-05-21	3:1		A	sheet
AB	V05-0405	DAI	2005-05-16	appd	W.J. SWAIN 2001-05-21				1 of 4
sheet index	revision sheet	AF	AF	AF	AF				
		1	2	3	4				




PRODUCT NO.
SEE SHEET 1

PRESS-FIT HOLES

HOLE DIAMETER AFTER PLATING	$\varnothing 0.65\text{--}\varnothing 0.80$ *	$\varnothing 1.53$
DRILLED HOLE	$\varnothing 0.81\text{--}\varnothing 0.86$ ($\varnothing 0.85$ DRILL)	$\varnothing 1.61\text{--}\varnothing 1.66$ ($\varnothing 1.65$ DRILL)
COPPER PLATING	0.025-0.050	0.025-0.050
SnPb PLATING	0.005-0.015	0.005-0.015

*SEE DRAWINGS 58351 FOR OTHER OPTIONS



RECOMMENDED PCB HOLE
PATTERN-COMPONENT SIDE

mat'l code SEE NOTE 2				tolerances unless otherwise specified		CUSTOMER		FCI www.fciconnect.com	
ltr	ecr no.	dr	date	linear	0.X ±0.3	projection	COPY	title	RIGHT ANGLE SIGNAL RECEPT. 5 ROW, 30 POSITION
AF					0.XX ±0.10				
					0.XXX ±0.050				
				angles	0° ±2°	MM scale 1:1	product family METRAL 1000 size A	code 213 sheet 2	cage code 22526
				dr	S. STONER 2000-06-30				
				enrg	W.J. SWAIN 2000-06-14				
				chr	W.J. SWAIN 2001-05-21	scale 1:1	A	73981	2
				appd	W.J. SWAIN 2001-05-21				
sheet index	revision sheet								

Pro/E

cage code 22526

PDM: Rev:AF

STATUS: Released Printed: May 13, 2011

PRODUCT NUMBER

SEE SHEET 1

NOTES

1. UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS AND TOLERANCES ARE IN ACCORDANCE WITH ASME Y14.5M, 1994
2. HOUSING MATERIAL: LIQUID CRYSTAL POLYMER, GLASS FILLED, FLAME RETARDANT PER UL94V-0
GROUND SHIELD MATERIAL: COPPER ALLOY
SIGNAL CONTACT MATERIAL: COPPER ALLOY
3. PLATING ON PRESS-FIT TAIL AREA: 73981-X02 IS SnPb, 73981-X02LF IS Sn (LEAD FREE)
4. $\varnothing 2.05$ HOLE IS UNPLATED
5. $\varnothing 1.53$ PLATED HOLES (2X) ARE FOR GROUNDS
6. AVOID TRACES IN THIS AREA ON TOP OF PCB DUE TO EXPOSED GROUND SHIELD
7. UNDERPLATING FOR SHIELD AND SIGNAL CONTACTS IS 1.3 μm Ni MIN
8. COMPONENT KEEP OUT ZONE FOR PRESS BLOCK CLEARANCE.
9. PRODUCT MARKING: PRODUCT NUMBER, DATE AND LOT CODE.
10. SEE GS-20-017 FOR APPLICATION OF CONNECTOR TO PCB.
11. PCB THICKNESS RANGE: 1.3mm TO 2.5mm
12. SEE PRODUCT SPECIFICATION GS-12-110 FOR PRODUCT PERFORMANCE CHARACTERISTICS.
13. THIS GROUND ROW OF VIA-HOLES ONLY REQUIRED FOR PREVIOUS REVISIONS OF THIS DESIGN WHERE THE TOP SHIELDS HAD EON PRESS-FIT. DUE TO INVENTORIES OF PREVIOUS VERSION WE RECOMMEND THEY BE DESIGNED IN.
14. THE PRODUCTS WHERE THE PART NUMBER ENDS IN LF MEET EUROPEAN DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008. ALL PRODUCTS WILL WITHSTAND EXPOSURE TO 260° FOR 60 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR PHASE REFLOW OVEN.




This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

mat'l code SEE NOTE 2				tolerances unless otherwise specified		CUSTOMER		 www.fciconnect.com				
ltr	ecn no.	dr	date	linear	0.X ± 0.3		COPY		title RIGHT ANGLE SIGNAL RECEPT. 5 ROW, 30 POSITION			
AF					0.XX ± 0.10		projection					
					0.XXX ± 0.050							
				angles	0° $\pm 2^\circ$				product family METRAL 1000			
				dr	S. STONER	2000-06-30	scale 3:1		size		code	
				enrg	W. J. SWAIN	2000-06-14			dwg no		213	
				chr	W. J. SWAIN	2001-05-21			A		sheet	
				appd	W. J. SWAIN	2001-05-21	3					
sheet index	revision sheet											

PRODUCT NUMBER
SEE SHEET 1

DISTANCE FROM CONTACT POINT TO BOARD	
CONTACT	DISTANCE
A	12.5
B	16.2
C	19.5
D	22.3
E	25.2



CONTACT POINT AND SKEW

mat'l code SEE NOTE 2				tolerances unless otherwise specified		CUSTOMER		FCI www.fciconnect.com		
ltr	ecr no.	dr	date	linear	0. X ±0.3		COPY		title RIGHT ANGLE SIGNAL RECEPT. 5 ROW, 30 POSITION	
AF					0. XX ±0.10		projection			
					0. XXX ±0.050					
				angles	0° ±2°		 scale 3:1		product family METRAL 1000 size dwg no A 73981	code 213 sheet 4
				dr	S. STONER	2000-06-30				
				enrg	W. J. SWAIN	2000-06-14				
				chr	W. J. SWAIN	2001-05-21				
				appd	W. J. SWAIN	2001-05-21				
sheet index	revision sheet									

This document is the property of and embodies
CONFIDENTIAL and PROPRIETARY information of FCI.
No part of the information shown on this
document may be used in any way or disclosed
to others without the written consent of FCI.
Copyright FCI.